



**Home Innovation**  
NGBS GREEN CERTIFIED™

THIS IS TO SIGNIFY THAT THE FOLLOWING  
PRODUCTS FOR RESIDENTIAL CONSTRUCTION

**AEROBARRIER™ - BUILDING ENVELOPE SEALING TECHNOLOGY**

MANUFACTURED BY  
**AEROBARRIER**

HAVE BEEN CERTIFIED FOR POINTS TOWARD NGBS GREEN  
CERTIFICATION TO THE ICC 700 NATIONAL GREEN BUILDING  
STANDARD AS DETAILED IN NGBS GREEN CERTIFIED PRODUCT  
REPORT #NGBSGCP-00280.

Thomas M. Kenney, P.E. – VP Research & Engineering

April 1, 2018

Approval Date

April 1, 2019

Expiration Date

**CERTIFICATE #00280**

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.



NGBS Green Certified Product Report #NGBSGCP-00280

Products: AeroBarrier™ Building Envelope Sealing Technology

Manufacturer: AeroBarrier

The product(s) shown on this report have been independently verified as eligible products for use in achieving points toward project certification under ICC-700 National Green Building Standard. Home Innovation Research Labs authorizes accredited verifiers to award points toward certification without additional documentation when the product(s) is used as noted below.

2012 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
703.1.5	Maximum building envelope leakage rate is in accordance with Table 703.1.5	2-24	To earn points for this practice, the building must be verified with a blower door test.
704.5.2.1	Building envelope leakage testing	5	To earn points for this practice, the building must be verified with a blower door test and a visual inspection is performed.

2015 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
703.2.4	Maximum building envelope leakage rate is in accordance with Table 703.2.4.	1-11	To earn points for this practice, the building must be verified with a blower door test.
705.6.2.1	Air leakage validation of building	3-5	To earn points for this practice, the building must be verified with a blower door test and a visual inspection is performed.